

NATIONAL DECLARATION OF PERFORMANCE

No. ALU/WEW/EI/2021/13

Name and trade name of the construction product:

Internal fire wall El120 Procural PE78El made of aluminum profiles with a thermal break.

2. Product type designation:

PE78EI/WEW/13

3. Intended use:

To be used in construction works in accordance with Article 2, paragraph 3 of the CPR.

4. Name and address of the manufacturer and place of production:

WIKĘD Sp. z o. o. Sp. komandytowa, ul. Wielki Las 19, 84-242 Luzino

5. Name and address of the authorized representative, if appointed:

6. National system applied for the assessment and verification of constancy of performance:

7. National technical specification

7a. Polish product standard:

7b. National technical assessment:

ITB-KOT-2017/0351, edition 3

Technical assessment body/National technical assessment body:

ITB, PCA accreditation certificate No. AB 023

Name of the accredited certification body, accreditation number, and certificate number:

8. Declared performance:

ESSENTIAL CHARACTERISTICS	DECLARED PERFORMANCE
Fire resistance	El120
Resistance to impact by soft and hard body	Category IV
Acoustic insulation	Rw=41dB*
Fire spread classification	NRO

^{*} Window with a single-chamber 40 mm thick glazing (6/18Ar/Contraflam 30)

9. The performance of the product specified above is consistent with all the declared performance characteristics listed in item 8. This national declaration of performance is issued in accordance with the Act of April 16, 2004, on construction products, under the sole responsibility of the manufacturer

^{**} Assembly with single-chamber glazing 33.2T/16CHU/Pyrobel 16-1 and ChromaTech Ultra spacer bar

Signed on behalf of the manufacturer:

MIKÉDU]

Marcin Dembiński Head of Research and Certification Department, WIKĘD Luzino, 13.06.2023